



**EXONDER®**  
A World of High Quality Products

# ASBV



*VALVES FOR HIGHEST REQUIREMENTS*

---


# VARIETY OF ASBV

- ▶ *ASBV – Andocksysteme Containment Split Butterfly Valve*



# ONE VALVE - ONE SYSTEM - *ASBV*


- ▶ *ASBV passive valve direct bolt*



# ONE VALVE - ONE SYSTEM - *ASBV*


- ▶ *ASBV passive valve with tri-clamp.*

*e.g. IBC*



# ONE VALVE - ONE SYSTEM - **ASBV**

- ▶ **ASBV**  
*passive valve with  
tri-clamp and locating  
pin for automatic  
applications*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV*  
*passive valve with  
DIN or ANSI flange.*



# ONE VALVE - ONE SYSTEM - *ASBV*



---

- ▶ *ASBV*  
*passive valve with  
flanges and short  
compensator.*




# ONE VALVE - ONE SYSTEM - *ASBV*

- ▶ *ASBV active valve*  
*manual operation and*  
*optional tri-clamp.*  
*e.g. isolator application*



# ONE VALVE - ONE SYSTEM - *ASBV*


- ▶ *ASBV active valve  
manual operation and  
short compensator with  
and flanges.*



# ONE VALVE - ONE SYSTEM - **ASBV**


---

- ▶ **ASBV**  
*active valve manual  
operation, extension  
drive shaft, optional  
tri-clamp.*



# ONE VALVE - ONE SYSTEM - **ASBV**

- ▶ **ASBV**  
*active valve manual  
operation, active flange  
suction port, optional  
long tri-clamp*





# ONE VALVE - ONE SYSTEM - *ASBV*

- ▶ *ASBV active valve*  
*manual operation, active*  
*flange suction port, and*  
*flange.*

*e.g. reactor*  
*filling:*


*DN100 PN6*  
*pressure*  
*application*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV*  
*active valve manual*  
*operation, active flange*  
*suction port, flexible*  
*eladur device, bellow*  
*with DIN / ANSI flanges*



# ONE VALVE - ONE SYSTEM - **ASBV**

---

- ▶ **ASBV**  
*active valve manual  
operation for locking,  
hand wheel gear box,  
active flange suction  
port, flexible eladur  
device, bellow with  
flanges, base plate*



# ONE VALVE - ONE SYSTEM - **ASBV**

---


- ▶ **ASBV**  
*active valve manual  
operation for locking,  
hand wheel gear box,  
active flange suction  
port, flexible eladur  
device, bellow with  
flanges, tri-clamp*



# ONE VALVE - ONE SYSTEM - **ASBV**

---

- ▶ **ASBV**  
*active valve manual  
operation for locking,  
hand wheel gear box,  
active flange suction  
port, manual stroke,  
bellow with flanges,  
base plate*



# ONE VALVE - ONE SYSTEM - *ASBV*

---

- ▶ *ASBV active valve  
automatic, pneumatic  
actuators, active flange  
suction port, flexible  
eladur device, bellow  
with flanges, base plate*



# ONE VALVE - ONE SYSTEM - *ASBV*

- ▶ *ASBV active valve  
automatic, pneumatic  
actuators, active flange  
suction port, flexible  
eladur device,  
bellow with  
flanges, base  
plate, vibration  
unit*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV active valve  
automatic, pneumatic  
actuators, active flange  
suction port, exterior  
flexible eladur device,  
bellow with flanges.*



# ONE VALVE - ONE SYSTEM - *ASBV*




---

- ▶ *ASBV*  
*active valve automatic,*  
*pneumatic actuators,*  
*active flange suction*  
*port, pneum. stroke*  
*cylinders, bellow with*  
*flanges, base plate*



# ONE VALVE - ONE SYSTEM - *ASBV*

---



- ▶ *ASBV feature: removable product contact parts*
  - 1) *unbolt 2 screws → pull main actuator backwards*
  - 2) *unbolt 4 screws → remove product contact part easily*
  - 3) *Insert a new or cleaned product contact part*


# ONE VALVE - ONE SYSTEM - *ASBV*

---

- ▶ *ASBV removable active product contact parts.  
approx. 10-20kg.*

*The only parts for  
cleaning! With an  
additional unit on site:*


- *very short shutdown  
period*
- *enormous cost  
saving*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV active valve  
automatic, pneumatic  
stainless steel  
actuators, active flange  
suction port, pneumatic  
stroke cylinders, bellow  
with flanges and base  
plate*



# ONE VALVE - ONE SYSTEM - *ASBV*



---

- ▶ *ASBV active valve*  
*automatic, pneumatic*  
*stainless steel*  
*actuators, active flange*  
*suction port, exterieur*  
*pneum. stroke*  
*cylinders, bellow with*  
*flanges*



# ONE VALVE - ONE SYSTEM - *ASBV*



---



- ▶ *Disassembling of product contact parts without tools due to manual operated release*


# ONE VALVE - ONE SYSTEM - *ASBV*

- ▶ *ASBV passive wash valve  
(to clean the active)  
with half shaft, CIP unit  
with side outlet,  
movable  
lance and  
rotating  
spray  
nozzle.*



# ONE VALVE - ONE SYSTEM - *ASBV*


- ▶ *ASBV passive wash valve  
(to clean the active)  
with half shaft, CIP unit  
star flange with side outlet,  
movable lance and rotating  
spray nozzle*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV active wash valve  
(to clean the passive)  
manual operation, half  
shaft, CIP unit with side  
outlet and stationary  
spray nozzle*



# ONE VALVE - ONE SYSTEM - *ASBV*

- ▶ *ASBV active wash valve  
(clean the passive) half shaft,  
automatic operation, exterieur  
flexible eladur device, CIP unit  
with side outlet,  
movable lance  
and rotating  
spray nozzle.*


*e.g. combination  
with ACON*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV passive lid*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV passive lid with passive valve*



# ONE VALVE - ONE SYSTEM - *ASBV*

---


- ▶ *ASBV active lid*



# ONE VALVE - ONE SYSTEM - *ASBV*

---

- ▶ *ASBV active lid.*  
*e.g. active valve with*  
*automated operation*  
*and lid*



# ONE VALVE – *FOR ALL APPLICATIONS*





*Our Philosophy: Perfection in the smallest detail*



Andocksysteme G. Untch GmbH  
Schweighofstr. 3 - 79410 Badenweiler  
Tel. +49 7632 82 3 82 0  
Fax +49 7632 82 3 82 29  
info@andocksysteme.com  
[www.andocksysteme.com](http://www.andocksysteme.com)

Exonder S.r.l

Via Zanotti, 14 - 28040 Borgo Ticino (NO) Italy  
Phone Number: +39 0321 908466  
E-mail: [customer care@exonder.it](mailto:customer care@exonder.it)  
Website: [www.exonder.it](http://www.exonder.it)